## IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): An information processing apparatus, comprising: time information supply means for supplying a clock configured to supply time information to be used for management of to manage an operation of said the information processing apparatus;

a receiver configured to control reception control means for controlling reception of a broadcast signal broadcasting wave;

a detection <u>unit configured to detect</u> means for detecting predetermined information from the <u>broadcast signal</u> broadcasting wave received <u>under the control of said reception</u>

control means by the receiver within a <u>predetermined</u> period from a first point of time to a second point of time based on the time information supplied from said time information supply means by the clock;

a processor configured to correct time correction means for correcting the time information supplied by the clock from said time information supply means based on a result of the detection of said detection means the predetermined information by the detection unit; and

a memory configured to record recording means for recording a result of the correction of the time information by said time correction means performed by the processor.

Claim 2 (Currently Amended): An information processing apparatus according to claim 1, further comprising:

a controller configured to display the result display control means for controlling displaying of the result of the correction of the time information recorded in the memory said recording means.

Claim 3 (Currently Amended): An information processing apparatus according to claim 2, wherein:

the processor is configured to said time correction means corrects correct the time information supplied from the clock said time information supply means when the predetermined information is detected by the detection unit; said detection means, and

the controller is configured to control said display control means further controls the display displaying of a message representative of failure in correction of the time information when the correction of the time information cannot be performed by said time correction means within the period from the first point of time to the second point of time.

Claim 4 (Currently Amended): An information processing apparatus according to claim 1, wherein,

when the said detection unit means cannot detect the predetermined information within the period from the first point of time to the second point of time, said time correction means the processor corrects the time information supplied from said information supply means the clock based on the result of the correction of the time information recorded in the memory by said recording means.

Claim 5 (Currently Amended): An information processing method, comprising the steps of:

a time information supply step of supplying time information to be used to manage an for management of operation of an information processing apparatus;

a reception control step of controlling reception of a broadcast signal broadcasting wave;

a detection step of detecting predetermined information from the <u>broadcast signal</u> broadcasting wave received under the control of the processing of the reception control step within a period from a first point of time to a second point of time based on the time information supplied in the supplying step by the processing of the time information supply step;

by the processing of the time information supply step based on a result of the detection of the processing of the time information supply step based on a result of the detection of the predetermined information in by the processing of the detection step; and

a recording control step of controlling recording of a result of the correction of the time information performed in the correcting step by the processing of the time correction step.

Claim 6 (Currently Amended): An information processing method according to claim 5, further comprising: wherein

the program further comprises a display control step of controlling displaying of the result of the correction of the time information performed in the correcting step recorded by the processing of the recording step.

Claim 7 (Currently Amended): An information processing method according to claim 6, wherein: [[,]]

in the time correction step, the step of correcting the time information supplied by the processing of the time information supply step is corrected is performed when the predetermined information is detected by the processing of the detection step, in the detecting step; and

the step of in the display control step, displaying of a message representative of the result of the correction of the time information includes displaying a result indicating a failure in correction of the time information is further controlled when the correction of the time information cannot be performed by the processing of the time correction step within the period from the first point of time to the second point of time in the correcting step.

Claim 8 (Currently Amended): An information processing method according to claim 5, wherein:[[,]]

when the predetermined information cannot be detected <u>in</u> within the period from the first point of time to the second point of time by the processing of the detection <u>detecting</u> step, in the time correction means, the time information supplied <u>in the supplying step</u> by the processing of the information supply means is corrected based on <u>stored results</u> the result of the <u>previous corrections</u> correction of the time information recorded by the processing of the recording step.

Claim 9 (Currently Amended): A program storage medium on which a computer-readable program is recorded, the program, when executed, performing a method comprising the steps of:

a time information supply step of supplying time information to be used to manage an for management of operation of an information processing apparatus;

a reception control step of controlling reception of a broadcast signal broadcasting wave;

a detection step of detecting predetermined information from the <u>broadcast signal</u>
broadcasting wave received under the control of the processing of the reception control step

within a period from a first point of time to a second point of time based on the <u>supplied</u> time information supplied in the supplying by the processing of the time information supply step;

by the processing of the time information supply step based on a result of the detection of the predetermined information in the by the processing of the detection detection detection detection and

a recording control step of controlling recording of a result of the correction of the time information performed in the correcting step by the processing of the time correction step.

Claim 10 (Currently Amended): A program storage medium according to claim 9, further comprising:

wherein the program further comprises a display control step of controlling displaying of the result of the correction of the time information performed in the correcting step recorded by the processing of the recording step.

Claim 11 (Currently Amended): A program storage medium according to claim 10, wherein:[[,]]

in the time correction step, the step of correcting the time information supplied by the processing of the time information supply step is corrected is performed when the predetermined information is detected by the processing of the detection step, in the detecting step; and

the step of in the display control step, displaying of the result of the time correction includes displaying a message representative of failure in correction of the time information is further controlled when the correction of the time information cannot be performed by the

processing of the time correction step within the period from the first point of time to the second point of time in the correcting step.

Claim 12 (Currently Amended): A program storage medium according to claim 9, wherein:[[,]]

when the predetermined information cannot be detected within the period from the first point of time to the second point of time by the processing of the detection step, in the time correction means, the time information supplied by the supplying step processing of the information supply means is corrected based on a previously recorded the result of the a correction of the time information recorded by the processing of the recording step.

Claim 13 (New): An information processing apparatus according to claim 1, wherein: the memory is configured to store the result of a failure of the correction of time information when the correction of time information cannot be performed by the processor.

Claim 14 (New): An information processing method according to claim 5, wherein: the step of recording the result of the correction of the time information includes recording a failure when the time information cannot be corrected in the correcting step.

Claim 15 (New): A program storage medium according to claim 5, wherein: the step of recording the result of the correction of the time information includes recording a failure when the time information cannot be corrected in the correcting step.

Claim 16 (New): A system for storing time correction information, comprising:

means for supplying time information used to manage an operation of an information processing apparatus;

means for controlling the reception of a broadcast signal;

means for detecting predetermined information from the broadcast signal received by the controlling means based on the time information supplied by the supplying means;

means for correcting the time information supplied by the means for supplying based on a result of the detection of the predetermined information by the means for detecting; and means for storing a result of a correction of the time information performed by the correcting means.